

**DIRECTORATE GENERAL NATIONAL DISASTER RESPONSE FORCE
A-WING, SECOND FLOOR, LOK NAYAK BHAWAN, KHAN MARKET,
NEW DELHI - 110003**

CORRIGENDUM NOTICE NO. 02

(Consisting of 01 page only)

With reference to discussion/clarifications on points/suggestions relating to commercial/Technical terms & conditions, following changes/amendments be incorporated in the relevant terms and conditions given in our Tender Enquiry No.1-17018/PROC/1239/HQ-NDRF/2016/1101 dated 20.09.2016 for procurement of 144 Nos Hand Held Gas Detector for NDRF Bns :-

Sl. No.	FOR CLAUSE	READ AS
01	<u>SCHEDULE-V OF T.E. :: SPECIFICATIONS OF HAND HELD GAS DETECTOR AT PAGE NO.16 (APPROVALS):-</u> The Hand Held Gas Detector shall carry certification for use in the Class-I Hazardous area and should also be certified intrinsically safe along with certified by Chief Controller of Explosive, Nagpur (CCOE).	<u>SCHEDULE-V OF T.E. :: SPECIFICATIONS OF HAND HELD GAS DETECTOR AT PAGE NO.16 (APPROVALS):-</u> The Hand Held Gas Detector shall carry certification for use in the Class-I Hazardous area, ATEX Class-I and should also be certified intrinsically safe or certified by Chief Controller of Explosive, Nagpur (CCOE).

Note: - (a) Remaining terms and conditions of the TE will remain unchanged.
(b) Any changes/modifications in this Tender enquiry will be intimated through CPPP portal <https://eprocure.gov.in/eprocure/app> and our websites www.ndma.gov.in & www.ndrfanded.gov.in such, the tenderers are requested to visit our websites regularly.

No. 1-17018//PROC/1239/HQ-NDRF/2016/ *1352*

Dated, the 09 November, 2016



Ashish Sharma
Second-in Command (Prot.)
For and on Behalf of President of India
Ministry of Home Affairs
New Delhi