

**OFFICE OF THE COMMANDANT: 12<sup>TH</sup> BN NDRF, DOIMUKH (A.P)**

Tender No: Prov/12<sup>TH</sup> BN NDRF/Tender/2017/ 18754

Dated, the 21/07/17

**RE- TENDER NOTICE**

Sealed Tenders are hereby invited by **The Commandant, 12<sup>th</sup> Bn NDRF**, and Doimukh Post: Doimukh Dist. Papumpare Arunachal Pradesh pin -791112, on behalf of the President of India for procurement of **Basic Medical Requirement Items/Equipments for National Disaster Response Force, Doimukh.**

**INSTRUCTIONS TO BIDDERS & CONDITIONS OF CONTRACT**

1. Sealed Tenders along with product details in **two bid system** are to be deposited in the Tender Box placed in the office of the Commandant. 12<sup>th</sup> Bn NDRF, Doimukh Post: Doimukh Dist. Papumpare Arunachal Pradesh pin -791112, or to be sent by registered post/speed post/courier on or before **17/08/2017 at 1600 Hrs.**
2. Envelops should be super scribed with the Tender No. and Date.
3. Tenders will be opened in the presence of the bidders on **18/08/2017 at 1000 hrs** by a duly approved Board of Officers.
4. Improper or incomplete Tenders or Tender without specifications will be rejected.
5. All tenders are to be accompanied with a Demand Draft of 3% of their quoted rate as earnest money only to be drawn in favour of the **Commandant 12<sup>th</sup> Bn NDRF, payable at SBI, Doimukh, (code No: 6892).** This is to be retained as Earnest Money from the approved bidders.
6. Bank Drafts of unsuccessful bidders will be returned after the completion of the bidding process.
7. Bidders are to produce detailed product specification of the items, rate for which has been quoted. Priced offered should be inclusive of all packing and freight charges.
8. All tenders without detailed product specification will be rejected.
9. The rate quoted by the tenderer shall be valid for 01 (one) year and no variation what so ever will be entertained at any stage.
10. F.O.R destination, installation & Commissioning shall be at the **Office of the Commandant, 12th BN NDRF Doimukh, Vill- Emchi, Post – Doimukh ,Distt- Papum Pare, State- Arunachal Pradesh, Pin- 791112.**
11. Successful tender should supply the materials within 15 days from the date of receipt of the supply order.

HQ DG NDRF, CGO COMPLEX, NEW DELHI

DG NDRF.....

IG NDRF.....

DIG (Adm).....

DIG (Tgt/Ops).....

DIG (Proc/Prov).....

DC (Adm).....

DC (OPS/Comn).....

AC (HQ).....

Sr AO.....

Sec.....

IT 4419


Cont. 02.

*Shy 17/12*

20/7



12. The tender process will be in TWO BID SYSTEM under rule GFR-163. In the first cycle only product specification conforming to the specification will be selected and further only quotations of the tenders, whose product specification have been selected, will be entertained.
13. All bidders are requested to submit their offers in two covers as under.
- A) FIRST COVER should contain the following:-
- Tender documents duly completed and signed.  
**BUT WITHOUT INDICATING THE RATES QUOTED.**
  - Earnest money.
  - F.O.R terms, delivery period quoted.
  - Copy of firm registration and dealership certified.
  - Any other relevant document which the firm wishes to submit.
  - Specification of the product.
  - The firm should attach IT Clearance/ Return Certificate , PAN & GST Registration with tender form.
- B) SECOND COVER should contain the following :-
- Details of rates, taxes, duties, discount, if any quoted by the bidder. These details should be submitted on their letter pad with stamp.
- C) Both the above mentioned covers should be sealed separately and super – scribed with the tender No., stores and date of tender opening.
- These covers should thereafter, be kept in a third cover and again sealed.
  - This cover should also be super scribed with the tenders No., stores and date of tender opening.
  - The composite bid i.e. rates indicated in the Technical **bid openly in tender is liable to be ignored.**
  - Only the first cover shall be opened on the date of opening. Price bids of only those firms will be considered for tender opening whose offer is complete in all respects.
14. **In case of successful tenderers the earnest money can be taken back and 5% of the amount in supply order has to be deposited afresh or may pay the differences between earnest money and security deposit, which will be returned after acceptance of supply.**
15. Commandant, 12th Bn NDRF has the power to reject any tender or all tender without assigning any reason or extend the date of opening of tender without citing any reason. Decision of Commandant, 12<sup>th</sup> Bn NDRF will be final and binding to all tenderers.
16. All correspondence in this regard may be made with the office of the commandant, 12<sup>th</sup> Bn NDRF, Doimukh, P.O:- Doimukh, Distt:-Papum Pare , Arunachal Pradesh Pin.- 791112. **Tele Fax No 03602277106 or email bn12.ndrf@govt.in/60bnssbwt@gmail.com**





**SCHEDULE LISTS OF REQUIREMENT**

SN	PARTICULARS	QNTY
01.	Centrifuge Machine	01 no
02.	Urine Analyzer	01 no
03.	ECG Machine with Recorder	01 no
04.	Multi-Para Patient Monitors	01 no
05.	Pneumatic Splints set	01 no
06.	Pulse Oxymeter	02 nos

**SPECIFICATIONS:-**

Sl. No	Items Description
01	<p><b>Centrifuge Machines</b></p> <p><u>Technical Specification</u>  Capacity : 6 x 15 ml  Type of Head : Swing Out  No. of Tubes : 6  Max. Speed : 3500 rpm  Max. RCF : 1600 'g'</p>
03	<p><b>URINE ANALYZER</b></p> <p><u>Technical Specification :</u></p> <ul style="list-style-type: none"> <li>• Semi-quantitative reflectance photometer</li> <li>• Optical unit: LEDs and colour detector</li> <li>• Wavelengths: 470, 540, 650 nm</li> <li>• Incubation period: 55 s</li> <li>• Capacity: 60 strips per hour in Standard mode or 240 strips per hour with in Smart Timing® mode</li> <li>• Touchscreen: color TFT LCD display</li> <li>• Built-in thermo printer</li> <li>• Host interface: RS232, USB</li> <li>• Possibility to connect external keyboard or a barcode scanner via PS/2</li> <li>• Memory capacity: last 360 results</li> <li>• Two measuring modes: Standard (60 samples/h) and Smart Timing (240 samples/h)</li> <li>• Portable mode using batteries</li> <li>• Easy operation via touchscreen</li> <li>• Simple maintenance</li> <li>• Strip type flexibility</li> <li>• Smart sample identification: sequential, sample ID</li> <li>• Automatic compensation of a typical sample color</li> <li>• Built-in thermal printer</li> <li>• LIS / HIS connectivity</li> <li>• External keyboard and barcode reader connectivity</li> <li>• Automatic self-check at each initialization</li> <li>• Compatibility with ErbaLachema and third party</li> </ul>

*Sl 99/12/117*




04	<b>ECG MACHINE WITH RECORDER</b> <u>Technical Specification :</u> <ul style="list-style-type: none"> <li>• Simultaneous 12 channel ecg recording with 12 lead simultaneous acquisition with auto summary</li> <li>• Alphaneumatic keyboard - qwerty</li> <li>• 5.7 inch high resolution foldable screen</li> <li>• Built in ecg parameters measurements and interpretation</li> <li>• Print mode : pre-sample/real-time sample/arrhythmia triggered sample</li> <li>• Upto 100 ecgs in internal memory</li> <li>• Recorder – thermal printer with a\$ size z-fold or 210mm roll</li> <li>• Light weight design for portability</li> <li>• High performance li-ion rechargeable battery</li> <li>• Power line safe design, can be used both on power line as well as battery</li> <li>• Digital filtering to remove interference from power line, muscle tremor etc., with automatic base line correction.</li> <li>• Transfer of data to pc through ethernet port (optional)</li> </ul>
05	<b>MULTI-PARA PATIENT MONITORS</b> <u>Technical Specification :</u> <ul style="list-style-type: none"> <li>•Colour TFT 10.4"LCD display of resolution 800x 600 Pixels</li> <li>•Increased clinical confidence in measuring the basic vital parameters- ECG, SPO2, NiBP, Resp , TEMP.</li> <li>•Facilitates 720 hours Trend, 1000 NiBPp reviews, 14 waveform and 2 hours waveform review.</li> <li>•Detects multiple arrhythmias in ECG and ST elevation-depression of ECG, thus diagnosing decreased cardiac condition accurately.</li> <li>•The oxygen- cardiorespirography helps the physician measure beat to beat heart rate, respiratory rate, and thoracic rate.</li> <li>•Pitch Tone variation of SPO2 monitoring- audible variation in tone helps in sensing patient oxygen saturation.</li> <li>•Pace maker detection – This feature ensures recognition of pacing signal artifacts.</li> <li>•Digital filtering remove interference from power line, muscle tremor etc., with automatic base line correction</li> <li>•Different alarm tones with voice prompt sequences helps physician identify emergency conditions even when the care giver is away from the patient.</li> <li>•The device offers upto 4 hrs of battery backup facilitating uninterrupted monitoring.</li> </ul>
06	<b>PNEUMATIC SPLINTS SET</b> <u>Technical Specification :-</u> <ul style="list-style-type: none"> <li>•Material light weight, radio lucent, moldable.</li> <li>•Water proof and body fluid proof.</li> <li>•Portable light weight padded flexible splints of three sizes and reusable.</li> <li>•Standard and junior sets with all three sizes.</li> <li>•Velcro strapped for easy application and removal.</li> </ul>
07	<b>PULSE OXYMETER</b> <u>Technical Specification :-</u> <ul style="list-style-type: none"> <li>•Battery operated.</li> <li>• SPO2</li> <li>• PR</li> <li>• Portable size.</li> </ul>

Cont. 05.....

*Shy 12/12*





Place: Doimukh Arunachal Pradesh

**COMMANDANT, 12TH BN NDRF**

Date: \_\_\_\_\_

For & On behalf of the President of India

To,

M/S \_\_\_\_\_

\_\_\_\_\_  
-----

Signature of Tenderer

**NOTE: ALL THE PAGES OF TENDER PAPERS SHOULD BE SIGNED BY THE TENDERER.**

**Copy to:-**

**HQ DG NDRF: For favour of info with request for publishing tender on  
NDMA web site please.**