

*8692-8712*

**LIMITED TENDER NOTICE**

Sealed Tenders are hereby invited by **The Commandant, 9 Bn NDRF**, Bihta, Post: Bihta (Patna)- 801103 from registered firm/supplier on behalf of the President of India for procurement of **Light Weight Running Shoes (Brown Colour)** for **9 Bn, National Disaster Response Force, Bihta, Patna**. Estimated cost of Stores is Rs. **2,00,000/-** (Rupees Two Lakh) only.

**INSTRUCTIONS FOR BIDDERS & CONDITIONS OF CONTRACT**

- 1) Sealed Tenders along with product details in a two bid systems are to be deposited in the Tender Box placed in the office of the Commandant, 9 Bn NDRF, Bihta, Post- Bihta (Patna)- 801103, on or before **21 August' 2016 at 1200 HRS**. The Tender received after scheduled time will not be entertained.
- 2) Envelops should be super scribed with the Tender No. and Date or **TENDER OF LIGHT WEIGHT RUNNING SHOES (BROWN COLOUR)**
- 3) Tenders will be opened in the presence of the bidders on **22 August' 2016 (MONDAY) at 1600 HRS** by a duly approved Board of Officers/ TPC.
- 4) Improper or incomplete Tenders or Tenders without specifications will be rejected.
- 5) All tenders are to be accompanied with a Demand Draft of Rs. **4,000/-** (Rupees Four Thousand) only drawn in favour of the Commandant 9 Bn NDRF, at **SBI, Bihta, (code No: 1217)**. This is to be retained as Earnest Money from the bidders. Only SSI firms registered with NSIC or DG&D are exempted from tender cost. However their registration must be valid on the tender opening dates.
- 6) Tender received without the required Bank Drafts (Tender Cost) will be liable for rejection.
- 7) No interest shall be payable by the purchaser on the earnest money deposited by tenderer.
- 8) Purchase Price Reference  
The Purchaser reserve the option to give a purchase/price preference to offers from public sector unit and SSI units over other firms in accordance with the policies of the Govt. of India from time to time.
- 9) Penalty for delay in supply and liquidated Damage
  - (i) Penalty @ 0.5% per week or part thereof of the contract value shall be levied for delay in supply subject to a maximum of 10% in the form of LD.
  - (ii) In case the firm does not complete the supply within the delivery period, action will be taken against the firm as per Para 15.7 of DGS&D Manual and Para 14.7 (i) of Ministry of Commerce, Deptt of Supply of the General condition of the contract.
- 10) Exemption from Duties /Taxes
  - (i) Customs and/ or any other exemption certificate will not be given unless applicable on production of Govt Notifications in this regard through a formal request from the Tenderers.
- 11) Bank Drafts of unsuccessful bidders will be returned after the completion of the bidding process.
- 12) Cost of the product and taxes should be written separately. "FOR" of the product will be campus of 9 BN NDRF, Bihta (Patna)
- 13) All tenders without detailed product specifications will be rejected.
- 14) **The tender process will be in TWO BID SYSTEM under rule GFR 152. In the first cycle only product specification conforming to the specifications will be selected further only quotations of tenders whose product specifications have been selected, will be entertained.**

15) All bidders are requested to submit their offers in three covers as under:-

F/ COVER	:	This cover should contain following documents.
	i	Technical Bid duly sealed & stamped by the firm.
	ii	Financial Bid duly sealed & stamped by the firm.
	iii	Earnest Money Deposit of Rs. 4,000/-.
	iv	Photocopy of PAN Card.
	v	Photocopy of TIN No. allotted by State Government.
	vi	This cover should be super scribed with the Tender No., Name of stores and due date of opening of tender.
	vii	The address of the tenderer should be written on the lower left corner of the envelope.

Second Cover	:	<b>TECHNICAL BID</b> - should contain following documents.
	i	Technical specification of the items.
	ii	Proof of ISO certification, if any.
	iii	Quality Control system, if any.
	iv	Warranty/ Guarantee, if any.
	v	Any other additional information regarding technical specification of the item which the tenderer wants to submit as regards to name of brand/manufacturer/ experience & expertise etc.
	vi	Proof of supplying similar items to other Govt. departments if any.
	vii	After Sales & Service, if any, offered by the firm.
	viii	This cover is super scribed as "Technical Bid for supply of <b>LIGHT WEIGHT RUNNING SHOES (BROWN COLOUR)</b>
	ix	Certificate regarding Quality control system of the items being supplied.
	x	ECS detail of firm or cancel check of firm current account

Third Cover		<b>FINANCIAL BID</b> - should contain following documents.
	i	Rate quoted by the firm which should be on firm price basis.
	ii	Details of the rate, taxes, duties, discount if any quoted by the tenderer.
	iii	The rate must not under any circumstances be altered.
	iv	Rate so offered should be entered in words as well as in figures.
	v	FOR & terms of delivery.
	vi	Rate quoted should be valid up to the end current financial year i.e. 2016-17 which should be clearly accepted in the Financial Bid which may be further extended with the concurrence of the firm.
	vii	In case of authorized suppliers, price list of principle supplier has to be attached with "Financial Bid".
	viii	This cover be super scribed as Financial Bid for supply of <b>LIGHT WEIGHT RUNNING SHOES (BROWN COLOUR)</b>

(Only the second cover shall be opened on the date of opening. Price bids of only those firms will be considered for tender opening whose offer is complete in all respect and the tender samples submitted by them are approved/qualified)

16) All tenders are to be accompanied with a copy of the Sales Tax Registration, VAT Registration of the firm & Xerox copy of PAN Card and ECS mandate form.

17) **Successful bidders will have to supply the Goods within 90 days of placement of Supply Order by this office, On intimation they are required to provide advance sample before placement of supply order or supplying the whole consignment for assessment and also deposit 10% of the amount of total cost of goods as security deposit by Bank Draft, which will be returned after full and satisfactory supply of the goods.**

18) **In case Security amount is not deposited by the successful bidder within the stipulated time irrespective of any reason, after placing of AT/ supply order, EMD could be permanently forfeited and AT/ Supply order would become liable for cancellation at the risk of the Firm.**

19) This period may be extended for further 15 days in case of any delay due to any unnatural circumstances at the sole discretion of the Commandant 9 Bn NDRF.

20) Commandant, 9 Bn NDRF has the power to reject any tender or all tender without assigning any reason or extend the date of opening of tender without citing any reasons. Decision of Commandant 9 Bn NDRF will be final and binding to all Tenders.

21) **Commandant NDRF reserves the right to increase or decrease the quantity at any stage without assigning any reason.**

22) All correspondence in this regard may be made with the Office of the Commandant, 9 Bn NDRF, Bihta, Post: Bihta (Patna)- 801103 : **Tele- Fax No: 06115-253939**

23) Stores will be supplied on credit basis. Bill will be accepted against delivery of stores. Received store will be inspected as per advance sample deposited by the firm by the duly constituted Survey/Line Committee. Payment will be released after approval of survey/ line committee report through Bank Draft by Commandant 9 Bn NDRF on proper receipt.

24) Purchaser reserves the right to accept/reject any tender or all, at any time without assigning any reason.

S/No	Items	QTY	Approx. Cost
01	<b>Technical Specification Of Light Weight Running Shoes (Brown Colour)</b> As per appendix-A SIZE- 7 TO 10	898 Pairs	Rs-2,00,000/-

#### NOTE TO TENDERER

- i) The tenderer shall indicate the make/model in their offer.
- ii) The tenderer shall furnish the clause-by-clause compliance statement. In case there is any deviation the same should be clearly brought out in the offers.
- iii) They shall mention the relevant BIS/EN/DIN/UL certificate of the product offered.
- iv) Relevant test certificates if applicable shall be provided from a Govt. approved laboratory or from the manufacturer, along with this offer.
- v) Catalogues, if only, mentioning the full particulars of the stores furnished with the quotation.
- vi) Items will be purchased on the basis of quality, price and samples. Rates should be valid till **31<sup>st</sup> March 2017**.
- vii) **Tenders received without sample will not be entertained.**

#### PRICE SCHEDULE

Estimated cost of the items to be procured, in whole is Rs. 2,00,000/- (**Rupees Two Lakh**) only. Earnest Money to be deposited **Rs. 4,000/- (Rupees Four Thousand)** only.

Place: Bihta, Patna

Date: 21 July'2016

*[Signature]*  
**COMMANDANT, 9 BN NDRF**

For & On behalf of the President of India

To, M/s. \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



Signature of Tenderer

## Specification of Light Weight Running Shoes (Brown & White).

### **1. SCOPE**

This standard prescribes the materials, construction, requirements, method of sampling and tests to ensure required performance during physical training and exercise by CAPF personnel. The shoe shall be made out of synthetic upper PU coated fabric. The supply shall be in size 6 to 12 depending on the requirement of the purchaser.

### **2. SHAPE & DESIGN**

As per sketch/ sample. Sports shoe constructed on board toe last with padded collar, five eyelet holes, wedge heel.

Laced Design of Shoe Upper

- With Tongue and plug
- General appearance of pure white and brown
- Visible part of lining shall be matching with the upper

### **3. MATERIALS**

<b>A</b>	<b>UPPER MATERIAL</b>	
<u>1</u>	UPPER MATERIAL	PU COATED SYTH 1.3MM±5.05 with GSM 600±50 gm/m <sup>2</sup> .
<u>2</u>	COLOUR	BROWN/WHITE
<u>3</u>	Breaking Strength(5x20 CM STRAP)	80KG & 65 KG, WRAP & WEFT RESPECTIVELY AS PER IS 1969
<u>4</u>	Elongation at Break %	20% min As per IS 1969
<u>5</u>	Flexing Resistance	1,00,000 CYCLE AS PER SATRA TM-92
<u>6</u>	Lining Material	SKIN FIT FABRIC WITH 3.0 mm FOAM(Min.)
<u>7</u>	Collar Foam	12 MM PU FOAM NORMAL(Min.)
<u>8</u>	Toungue Foam	5 MM PU FOAM NORMAL(Min.)
<u>9</u>	Heel Grip	Aquiline type material 1.0 MM (Min)
<u>10</u>	Toe Puff	0.6 MM thermo plastic(Min.)
<u>11</u>	Stiffener	1.4 MM thermo plastic(Min.)
<b>B</b>	<b>CLOSING MATERIALS</b>	
<u>12</u>	Thread	Nylon 40/3(3ply) & Breaking St- 3.5 kg (Min) as per SATRA TM-74
<u>13</u>	Eyelet Tape	Eyelet Stay Tape 12mm (Min.)
<u>14</u>	Eyelet	400 No. Aluminum White/Brown M/F & Attachment Strength with Lace -25 Kg(Min) with 5mm inner dia
<u>15</u>	Strobel	Antistatic 2.0mm (Min.)
<b>SOLING</b>		
<u>16</u>	Soling material	PU(Polyester)
<u>16-a</u>	Sole Colour	Brown/ White
<u>16-b</u>	PU Sole Construction	Direct Moulding Process
<u>17</u>	Hardness(Shore-A)	55±5 Shore A, As per SATRA TM 205
<u>18</u>	Sole Flexing	30,000 Cycles, Cut Growth not exceeding 4 mm As per IS-15298-2011
<b>D.</b>	<b>FINISHING</b>	
<u>19</u>	Lace Material	Nylon round White/ Brown
<u>20</u>	Lace Length	100 CM (Min.)
<u>21</u>	Socks Full	2.5 mm EVA with skin fit (Min)

<b>22</b>	Breaking st of Lace	25 Kg(min) as per SATRA TM - 94
<b>23</b>	Size Roll	6 – 12
<b>24</b>	Weight of Size-8	650± 40 gm and ± 5% increase/ decrease as per size

### **3.1 Soling Pattern**

3.1.1 The soling not include continuous Lateral Tread Patterns or any other features, such as sharp corners at the base of the sole pattern, which may accelerate or cause premature creak formation.

3.1.2 The Design should be such that the sole will have adequate skid resistance as per IS 15298(part-I): 2011 with sole thickness 4.0mm (min) & Cleat height of 1 mm (min).

### **3.2 Bond Strength**

Upper / Outsole bond strength & Interlayer bond strength- The bond strength when tested as per IS : 15298(part-I) :2011 shall not be less than 3 N unless there is tearing of the material in which case the bond strength shall not be less than 3 N/ mm.

### **3.3 Cold insulation of sole complex**

When footwear is tested in accordance with the method described in IS 15298(Part-I) : 2011 the temperature decrease on the upper surface of the insole shall be not more than 10°C.

### **3.4 Back Height**

Back height  $65\pm 2$  mm for size 5 to 6,  $70\pm 2$  mm for size 7 to 9 &  $75 \pm 2$  mm for size 10 to 12. The height shall be measured on inside at the back of the boots from the insole to the top including any flexible extension.

### **3.5 Hydrolysis Test.**

The sole shall be placed in high humidity (100%) at a temperature of 72°C for 5 days and then tested as per IS 15298 (Part-I): 2011 on Ross flexing machine for 150,000 cycles. The crack growth shall not be more than 300%.

## **4. Sampling and Criteria for Conformity.**

The method for sampling , drawing representative samples of the shoes and the criteria for conformity shall be as prescribed in IS 6368:1971.

### **5. Marking & Packing**

5.1 the waist position of the finished shoe shall be legible stamped with the manufacturers name of his recognized trademark and size.

5.2 Each pair of shoe shall be placed hell and top alternatively i.e upright position warped with tissue paper. A label with following marking shall be placed outside the box which shall be clearly readable.

- i). Nomenclature.
- ii). Manufacture's name or Trade Mark.
- iii). Month and year of manufacture.
- iv). Size.

