

**Bid Document/ बिड दस्तावेज़**

Bidding Details/ बिड विवरण

<b>Bid Details/ बिड विवरण</b>	
<b>Bid End Date/Time/ बिड बंद होने की तारीख/समय</b>	14-09-2024 14:00:00
<b>Bid Opening Date/Time/ बिड खुलने की तारीख/समय</b>	14-09-2024 14:30:00
<b>Bid Offer Validity (From End Date)/ बिड पेशकश वैधता (बंद होने की तारीख से)</b>	180 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Home Affairs
<b>Department Name/विभाग का नाम</b>	Central Armed Police Forces
<b>Organisation Name/संगठन का नाम</b>	National Disaster Response Force (ndrf)
<b>Office Name/कार्यालय का नाम</b>	Hq Ndrf New Delhi
<b>Total Quantity/कुल मात्रा</b>	1
<b>Item Category/मद केटेगरी</b>	EOI for Emergency Rescue Vehicle
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled/ बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/ बिड का प्रकार</b>	Single Packet Bid
<b>Time allowed for Technical Clarifications during technical evaluation/ तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमति समय</b>	5 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate.The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers

offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

#### Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
05-09-2024 11:00:00	HQ NDRF, 6th Floor , NDCC Building , Jai Singh Road , New Delhi

#### EOI For Emergency Rescue Vehicle ( 1 the number pi )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अंहता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<a href="#">Download</a>
--	--------------------------

#### Consignees/Reporting Officer/प्रेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ प्रेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Harvinder Singh	110001, HQ DG, NDRF, 6TH FLOOR, NDCC-II BUILDING, JAI SINGH ROAD, NEW DELHI	1	30

#### Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

##### 1. Generic

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

## 2. Turnover

**Bidder Turn Over Criteria:** The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

## 3. Turnover

**OEM Turn Over Criteria:** The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

## 4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## 5. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.

13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम वी सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस नियिदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---



## INVITATION OF EXPRESSION OF INTEREST (EOI) FOR NDRF EQUIPMENT

NDRF is the lead federal force responsible for responding to all types of natural and man-made disasters. NDRF acknowledge the importance of having reliable equipment to enhance the efficiency and effectiveness of rescue operations.

2. NDRF now intends to procure Emergency Rescue Vehicle for each of its 16 Units/Academy. Accordingly, NDRF has prepared a draft technical specification for the modified NDRF vehicle required to enhance the efficiency and effectiveness of rescue operations. The draft specifications are appended as Appendix- A.

5. This EOI is not an offer by NDRF or a tender document but it is an invitation to receive responses from eligible manufacturers, suppliers, and vendors in the industry the draft specification framed by NDRF.

6. **Eligibility Criteria:** The minimum eligibility criteria for an entity to participate in the EOI is as follows:-

- i. The entity must be a manufacturer or vendor/supplier/dealer registered in India under relevant applicable Acts and Laws.
- ii. The entity must have some experience in the supply of such equipment.
- iii. NDRF may call manufacturers, suppliers and vendors to conduct the demonstration/field trial of such equipment if needed before finalizing the specification.


6. **Documents to be submitted:** The following documents are required to be submitted as part of the response to this EOI.

- i. Documents supporting Eligibility Criteria as mentioned above.
- ii. List of equipment catalogue with detailed technical specifications along with estimated cost if possible.

7. Eligible manufacturers, suppliers and vendors who have the competence and experience to carry out such work are requested to submit the EOI along with supporting documents by 12/09/2024.

### Important timelines:

Event	Timeline
Last date of submission of responses	<u>12/09/2024</u>

  
(Harvinder Singh)  
Second-In-Command (R&D)  
HQ NDRF, New  
Delhi



### Emergency Rescue Vehicle

S/No	Name of items	Specification
	CHASSIS	Right-hand drive, BS VI. 4200 mm wheelbase with company-fitted Driver cabin. Provision of AC and blower heater in driver cabin to be provided
	Crew Cabin	<ul style="list-style-type: none"> <li>• Folding berth- Two nos.</li> <li>• The crew cabin shall be made as to accommodate for two persons in the front and sleeping facility for two people at the back of the driving cabin along with LED light. AC, blower heater and 2 Fans.</li> <li>• Size of Crew Cabin-Length-67 Width-4' 6' Height-63</li> <li>• The entire Structure of the crew cabin shall be made up of welded structure from 40x40x2 mm MS Square Pipe and pressed GI Channels with Aluminum Paneling. The out paneling is made up of 16 gauges with aluminum sheet</li> <li>• All the MS super structural chambers and under-frame cross Chambers shall be treated with rust preventive paint.</li> <li>• The flooring of the Rest Cabin is fabricated from 3mm Aluminum anti-skid Plates (Checker plates)</li> <li>• Berth size of the rest cabin: Length 6.5" Width-24"</li> <li>• The lower berth should be designed in such a way that it can be used to keep tools/spares below it during transportation of the rescue team.</li> <li>• CABIN WINDOW WITH FRAME: 2 NOS</li> <li>• Two Fan, provision of AC and blower heater in crew cabin, 10 LED Lights and 6 indicator lights.</li> <li>• Crew cabin should be suitably modified with 02 dog kennel for canine element along with DH for CSSR squad</li> </ul>
	Lockers	<ul style="list-style-type: none"> <li>• Four lockers will be provided on the both side and along with the aluminum shutter lock.</li> <li>• All the equipment should be properly clamped and strapped in the drawers to prevent shifting of the equipment while the vehicle is in motion with build-to-purpose type fixtures</li> <li>• The drawers shall be totally constructed from 3 mm thick Aluminum sheet as per the size of the Equipment the Drawer floor should be covered with good quality checker Sheet of 3 mm Thick.</li> <li>• The locker shall be divided into compartments and shelves as per the requirement.</li> <li>• The aluminum shutters shall be provided with suitable sealing to avoid ingress of water dust and humidity.</li> </ul> <p><b><u>SHUTTER SPECIFICATION (TOTAL 8):</u></b></p> <p>1090mm (Width) X 1520mm (Height) (2) 1090mm (Width) X 1440mm (Height) (1) 1060mm (Width) X 1440mm (Height) (1)</p>

S/No	Name of items	Specification
		1100mm (Width) X 1520mm (Height) (2) 1055mm (Width) X 1440mm (Height) (1) • 1082mm (Width) X 1440mm (Height) (1)
	Manually lifting	<ul style="list-style-type: none"> <li>At the back of the vehicle, provision of the manually lifting up the heavy, lead</li> <li>Size of the bases for the manual lift: 4 X 4' platform</li> </ul>
	Awning	<ul style="list-style-type: none"> <li>Manually operated Awning made up of waterproof synthetic cloth of 0.015 thick on the both side of the vehicle to prevent from rain and hot Sunlight during summer</li> <li>Size of the Awning 10 with frame</li> </ul>
	Compartment area	<ul style="list-style-type: none"> <li>Full size of right-side compartments 6'3" length and 3'8" width</li> <li>Right side first compartment. 3 shelves all 1'10"</li> <li>Left side first compartment 2 shelves each of 2'9"</li> <li>Second compartment with throughout shelf Length 4'10", Width</li> <li>Third compartment with throughout shelf: Length 4"10", Width 3'8"</li> <li>Back side compartment throughout with one shelf Length 4'10" Depth 1'6", Height 3'4"</li> </ul>
	Air-cut	<ul style="list-style-type: none"> <li>On the roof of the driver's cabin Length 6'10" and Height 3 with the provision of won box to keep tools/accessories</li> </ul>
	Underbody storage	<ul style="list-style-type: none"> <li>First right-side size 1'7" width and 1'9" depth,</li> <li>Second-night side storage length 411", depth 1'8" and height,</li> <li>Left side storage 411 length, depth 1'8" and height 1,</li> <li>Back aide storage 4 depth, 2'1" width and 1'4" height,</li> <li>The cover unit of all under-body storage should be designed in such a way with heavy rugged steel chain and retaining bar/plate that it can be used as platform for loading and unloading of equipment into the vehicle</li> </ul>
	Miscellaneous	<ul style="list-style-type: none"> <li>Complete body painting with best quality paint and finishing.</li> <li>Vinyl printing and pasting on both side of the body.</li> <li>Complete body wiring for electric supply (12W).</li> <li>Fitment of flashlight with siren.</li> <li>The boundaries of the vehicle should be marked with fluorescent tape.</li> <li>A water tank of a minimum 200 liter capacity should be kept either in front side or back side of the vehicle.</li> <li>A water proof MAST light assembly should be fitted on the vehicle for the lighting of the worksite/staging area.</li> <li>Chrome plated cover for rims.</li> <li>Minimum three electrical switch sockets combined each with 10 plug box(16 Amp. 20 Amp. 40 Amp. 60) must be provided with the vehicle on the left, right and back sides of the vehicle respectively for utilization of electricity-operated equipment and recharging of batteries.</li> </ul>

S/No	Name of items	Specification
		<ul style="list-style-type: none"> <li>• There should be an intercom facility for better communication in between the driver cabin and crew cabin.</li> <li>• A body mounted stair (foldable) should be fitted on right, left and back side of the vehicle.</li> <li>• NDRF logo should be pasted on vehicle (size 20x 12 inch).</li> <li>• Dimension of fabricated portion should not be exceeded from length 27.5 feet, width 9.5 feet, height 11 feet.</li> </ul>

