


## 112. GENERATOR 2.5 KVA

### SPECIFICATION

Qualitative Requirement		Picture of Equipment
<ul style="list-style-type: none"> <li>a) Rated out put - 2100-2300 watt</li> <li>b) Maximum Out put 2400-2600 watt</li> <li>c) Fuel: Kerosene/ Petrol</li> <li>d) Rated Current: 10.5 amp</li> <li>e) Over load protector: for AC &amp; DC Earthling</li> <li>f) Other Provision: Provision for battery charging, pull cord manual start facility</li> <li>g) Rated Voltage: 220 volts</li> <li>H) Rated Frequency: 50 Hertz</li> <li>I) DC out put: Only for charging 12 volts automotive batteries, Maximum charging out 8.3 amp</li> <li>j) Dimension: (LXWXH) 605 mmx425 mmx550 (+20% margines) Dry Weight: 60 to 65 Kgs Engine Type: 4 stroke, 1 cylindre</li> </ul>		
<ul style="list-style-type: none"> <li>k) Cooling System: Forced air cooling</li> <li>l) Ignition System: Transistorized coil ignition</li> <li>m) Oil Capacity: 1 to 1.5 Litres</li> <li>n) Fuel tank Capacity: 12 to 15 litres</li> </ul>		