

DIRECTORATE GENERAL NATIONAL DISASTER RESPONSE FORCE
A-WING, SECOND FLOOR, LOK NAYAK BHAWAN, KHAN MARKET,
NEW DELHI-110003

CORRIGENDUM NOTICE NO. 03

(Consisting of 01 pages only)


With reference to discussion/clarifications on points/suggestions relating to commercial/Technical terms & conditions, following changes/amendments be incorporated in the relevant terms and conditions given in our Tender Enquiry No.1-17018/PROC/1358/HQ-NDRF/2016/259 dated 08.02.2016 for procurement of 432 Nos Distress Signal Unit for 11th & 12th Bn NDRF:-

SN	FOR CLAUSE	SN	READ AS
01	<u>SPECIAL INSTRUCTIONS, SCHEDULE-II OF TENDER ENQUIRY AT PAGE NO 12</u> 01. Time & date of receipt of Tender: 18 th April' 2016 at 1100 hrs. 02. Time & Date for opening of tender: 18 th April' 2016 at 1130 hrs.	01	<u>SPECIAL INSTRUCTIONS, SCHEDULE-II OF TENDER ENQUIRY AT PAGE NO 12</u> 01. Time & date of receipt of Tender: 18 th May' 2016 at 1100 hrs. 02. Time & Date for opening of tender: 18 th May' 2016 at 1130 hrs.

Note: - (a) Remaining terms and conditions of the TE will remain unchanged.
(b) Any changes/modifications in this Tender enquiry will be intimated through CPPP portal <https://eprocure.gov.in/eprocure/app> and our websites www.ndma.gov.in&www.ndrfandcd.gov.in such, the tenderers are requested to visit our websites regularly.

No. 1-17018/PROC/1358/HQ-NDRF/2015/ 516

Dated, the 13 April' 2016


(Kuleesh Anand)
ASST. COMDT (PROC)

For and on Behalf of President of India

